



ACC 2050/2

Crawler crane

TONNE

12

Dimensions



ACC 2050/2

TONNE

12

ACC 2050/2

Lifting capacities

ACC 2050/2 fully extended 20.6m telescopic main boom + 2.2m manual section


| Radius m | 5m x 5m outriggers | 3.6m x 5m outriggers | On tracks |
|----------|--------------------|----------------------|-----------|
| 2 | 20,500 | – | – |
| 3 | 13,700 | 8,300 | 5,700 |
| 4 | 11,100 | 6,900 | 3,900 |
| 5 | 9,200 | 5,400 | 2,800 |
| 6 | 7,000 | 4,400 | 2,200 |
| 7 | 6,100 | 3,500 | 1,500 |
| 8 | 5,100 | 2,900 | 1,100 |
| 9 | 4,200 | 2,500 | 1,000 |
| 10 | 3,800 | 2,100 | 700 |
| 11 | 3,300 | 1,800 | 500 |
| 12 | 3,000 | 1,600 | 400 |
| 13 | 2,700 | 1,400 | 350 |
| 14 | 2,500 | 1,300 | 300 |
| 15 | 2,350 | 1,200 | 250 |
| 16 | 2,100 | 1,100 | 200 |
| 17 | 1,750 | 900 | – |
| 18 | 1,600 | 800 | – |
| 19 | 1,500 | 700 | – |
| 20 | 1,400 | 650 | – |
| 20.6 | 1,370 | 600 | – |
| 22.8 | 1,120 | 500 | – |

Loads are shown in kg

ACC 2050/2

ACC 2050/2

Lifting heights




ACC 2050/2

TONNE

12

ACC 2050/2

Lifting heights



ACC 2050/2